

Literature Cited

- Barbour, M.T., and J.B. Stribling. 1991. Use of habitat assessment in evaluating the biological integrity of stream communities. Pages 25-38 in *Biological Criteria: Research and Regulation*. Proceedings of a Symposium. Office of Water, U.S. Environmental Protection Agency, Washington, DC. EPA-440/5-91-005.
- Barbour, M.T., J.L. Plafkin, B.P. Bradley, C.G. Graves, and R.W. Wiseman. 1992. Evaluation of EPA's rapid bioassessment benthic metrics: Metric redundancy and variability among reference stream sites. *Journal of Environmental Toxicology and Chemistry* 11(4):437-449.
- Barbour, M.T., and J.B. Stribling. 1994. An evaluation of a visual-based technique for assessing stream habitat structure. Pp. 156-178, IN *Proceedings of the Conference "Riparian Ecosystems of the Humid U.S.: Function, Values, and Management."* Atlanta, GA. March.
- Barbour, M.T., J.B. Stribling, and J.R. Karr. 1995. The Multimetric Approach for Establishing Biocriteria and Measuring Biological Condition. Chapter 6, IN W. Davis and T. Simon, (eds.), *Biological Assessment and Criteria: Tools for Water Resource Planning and Decision Making*. Lewis Publishers, Boca Raton, Florida. pp. 63-77.
- Bode, R.W., M.A. Novak, and L.E. Abele. 1989. Macroinvertebrate water quality survey of streams tributary to Onondaga Lake, Onondaga County, New York. Bureau of Monitoring and Assessment, New York State Department of Environmental Conservation. Albany, New York.
- Bode, R.W., M.A. Novak, and L.E. Abele. 1993. Twenty year trends in water quality of rivers and streams in New York State based on macroinvertebrate data 1972-1992. Bureau of Monitoring and Assessment, Division of Water, New York State Department of Environmental Conservation. Albany, New York.
- Bode, R.W., and M.A. Novak. 1995. Development and Application of Biological Impairment Criteria for Rivers and Streams in New York State. Chapter 8, IN W.S. Davis and T.P. Simon (eds.), *Biological Assessment and Criteria: Tools for Water Resource Planning and Decision Making*. Lewis Publishers. Boca Raton, FL. Pp. 97-107.
- Bray, J.R., and J.T. Curtis. 1957. An ordination of the upland forest communities of southern Wisconsin. *Ecolog. Monogr.* 27:325-349.
- Brinkhurst, R.O. 1986. Guide to the freshwater aquatic microdrile oligochaetes of North America. Canadian Special Publication of Fisheries and Aquatic Science 84. 259 pp.
- Burns, D.C. 1991. Cumulative effects of small modifications to habitat. *Fisheries* 16(1):12-17.
- Burton, T.A., and G.W. Harvey. 1990. Estimating intergravel salmonid living space using the cobble embeddedness sampling procedure. *Water Quality Monitoring Protocols - Report No. 2*. Idaho Department of Health and Welfare, Boise, ID. September.
- Caton, L.W. 1991. Improved subsampling methods for the EPA "rapid bioassessment" benthic protocols. *Bulletin of the North American Benthological Society*. 8(3):317-319.
- Chambers, P.A., E.E. Prepas, H.R. Hamilton, M.L. Bothwell. 1991. Current velocity and its effect on aquatic macrophytes in flowing waters. *Ecological Applications* 1(3):249-257.
- Ellis, J.B., E.E. Herricks, M.A. House, T. Hvítved-Jacobsen, J. Seager, G. Bujon, I.T. Clifford, and L. Herremans. 1992. Urban Drainage - Impacts on Receiving Water Quality, IN M.A. House (ed.), *Report from the Interurban Workshop*. Wageningen, the Netherlands, April 6-10, 1992.
- Ferraro, S.P., F.A. Cole, W.A. DeBen, and R.C. Swartz. 1989. Power-cost efficiency of eight macrobenthic sampling schemes in Puget Sound, Washington. *Can. J. Fish. Aquat. Sci.* 46:2157-2165.
- Ferraro, S.P., and F.A. Cole. 1992. Taxonomic level sufficient for assessing a moderate impact on macrobenthic communities in Puget Sound, Washington. *Can. J. Fish. Aquat. Sci.* 49:1184-1188.
- Field, R., and R. Turkeltaub. 1981. Urban runoff receiving water impacts: Program overview. *Journal of the Environmental Engineering Division, Proceedings of the American Society of Civil Engineers*, Vol. 107, No. EE1, pp. 83-100.

- Gibson, G.R. 1994. Biological Criteria: Technical Guidance for Streams and Small Rivers. EPA-822-B-94-001. U.S. Environmental Protection Agency, Office of Science & Technology, Washington, DC.
- Gordon, N.D., T.A. McMahon, B.L. Finlayson. 1992. Stream Hydrology: An Introduction for Ecologists. J. Wiley and Sons, New York, NY. 526 pp.
- Heins, D.C. 1991. Variation in reproductive investment among populations of the longnose shiner, *Notropis longirostris*, from contrasting environments. *Copeia* 3:736-744.
- Hilsenhoff, W.L. 1982. Using a biotic index to evaluate water quality in streams. Tech. Bulletin 132. Wisconsin Department of Natural Resources, Madison, Wisconsin. 22 pp.
- Hilsenhoff, W.L. 1987. An improved biotic index of organic stream pollution. *Great Lakes Entomologist* 20:31-39.
- Holomuzki, J.R. 1991. Macrohabitat effects on egg deposition and larval growth, survival, and instream dispersal in *Ambystoma barbouri*. *Copeia* 3:687-694.
- Huggins, D.G., and M.F. Moffet. 1988. Proposed biotic and habitat indices for use in Kansas streams. Report No. 35, Kansas Biological Survey, Lawrence, Kansas.
- Hughes, R.M. 1995. Defining Acceptable Biological Status by Comparing with Reference Conditions. Chapter 4, in W.D. Davis and T.P. Simon (eds.), *Biological Assessment and Criteria. Tools for Water Resource Planning and Decision Making*. Lewis Publishers, Boca Raton, Florida. pp. 31-47.
- Hvitved-Jacobsen, T. 1982. The impact of combined sewer overflows on the dissolved oxygen concentration of a river. *Water Resources* 16:1099-1105.
- Illinois Environmental Protection Agency, Marion, Illinois, in litt 6/25/86.
- Jowett, I.G. and M.J. Duncan. 1990. Flow variability in New Zealand rivers and its relationship to in-stream habitat and biota. *New Zealand Journal of Marine and Freshwater Research* 24:305-317.
- Karr, J.R., K.D. Fausch, P.L. Angermeier, P.R. Yant, and L.J. Schlosser. 1986. Assessing biological integrity in running waters: a method and its rationale. Special Publication 5. Illinois Natural History Survey, Urbana, Illinois.
- Karr, J.R. 1991. Biological integrity: A long-neglected aspect of water resource management. *Ecological Applications* 1(1):66-84.
- Lijklema, L., A.F.M. Meuleman, and H.M.M. Bosgoed. 1990. Fluxes of oxygen equivalents and nutrients across the sediment-water interface after combined sewer overflows. *Water Science and Technology* 22(10/11):111-118.
- Merritt, R.W., and K.W. Cummins. 1984. An introduction to the aquatic insects of North America. Second edition. Kendall-Hunt Publishing Company, Dubuque, IA. 722 pp.
- New York State Department of Environmental Conservation, Albany, New York, in litt 2/27/89.
- Ohio Environmental Protection Agency. 1979. Initial Water Quality Management Plan - Scioto River Basin. State of Ohio, Environmental Protection Agency, Divisions of Water Pollution Control and Water Quality Monitoring and Assessment, Columbus, OH. 667 pp.
- Ohio Environmental Protection Agency. 1986 (final draft). Central Scioto River mainstem comprehensive water quality report. Scioto River Basin: Franklin, Pickaway, and Ross counties, Ohio. Second revision September 30, 1986. State of Ohio, Environmental Protection Agency, Divisions of Water Pollution Control and Water Quality Monitoring and Assessment, Columbus, OH.
- Ohio Environmental Protection Agency. 1987a. Biological criteria for the protection of aquatic life: Volume 1. The role of biological data in water quality assessments. State of Ohio, Environmental Protection Agency, Divisions of Water Pollution Control and Water Quality Monitoring and Assessment, Columbus, OH.
- Ohio Environmental Protection Agency. 1987b. Biological criteria for the protection of aquatic life: Volume 2. Users manual for biological field assessment of Ohio surface waters. State of Ohio, Environmental Protection Agency, Divisions of Water Pollution Control and Water Quality Monitoring and Assessment, Columbus, OH.
- Ohio Environmental Protection Agency. 1991. Biological and water quality study of the Sandusky River and selected tributaries. Crawford, Wyandot, and Seneca Counties. Ohio EPA Doc. 05-001. June 20, 1991. State of Ohio, Environmental Protection Agency, Divisions of Water Pollution Control and Water Quality Monitoring and Assessment, Columbus, OH.
- Ohio Environmental Protection Agency. 1992. Ohio Water Resources Inventory: Volume I. Summary, Status, & Trends. State of Ohio, Environmental Protection Agency, Division of Water Quality Planning and Assessment, Ecological Assessment Section, Columbus, OH.
- Ohio Environmental Protection Agency. 1994. Biological and Water Quality Study of the Cuyahoga River and Selected Tributaries. Volume 1. Geauga, Portage, Summit, and Cuyahoga Counties (Ohio). State of Ohio, Environmental Protection Agency, Division of Surface Water, Ecological Assessment Section, Columbus, OH.
- Pinkham, C.F.A. and J.B. Pearson. 1976. Applications of a new coefficient of similarity to pollution surveys. *J. Water Pollution Control Fed.* 48:717-723.

- Plafkin, J.L., M.T. Barbour, K.D. Porter, S.K. Gross, and R.M. Hughes. 1989. Rapid bioassessment protocols for use in streams and rivers: Benthic macroinvertebrates and fish. EPA/440/4-89-001. USEPA, Office of Water, Washington, D.C.
- Preddice, T. 1975. Water quality and quantitative macroinvertebrate survey Cowaselon Creek from Canastota to Lakeport, New York, July 1975. New York State Department of Environmental Conservation, February 1977.
- Rochester, H., Jr., T. Lloyd, and M. Farr. 1984. Physical impacts of small-scale hydroelectric facilities and their effects on fish and wildlife. FWS/OBS-84/19. U.S. Fish and Wildlife Service. September. 191 pp.
- Schueler, T.R. 1987. Controlling urban runoff: A practical manual for planning and designing urban BMPs. Department of Environmental Programs, Metropolitan Washington Council of Governments. Publication No. 87703. July.
- Seager, J., and R. Abrahams. 1990. The impact of storm sewage discharges on the ecology of a small urban river. *Water Science and Technology* 22(10/11):163-171.
- Shackelford, B. 1988. Rapid bioassessment of lotic macroinvertebrate communities: Biocriteria development. Arkansas Dept. of Pollution Control and Ecology, Little Rock, Arkansas.
- Shackelford, B. 1988. Rapid bioassessments of lotic macroinvertebrate communities: Biocriteria development. State of Arkansas, Department of Pollution Control and Ecology. Little Rock, AK.
- Southerland, M.T., and J.B. Stribling. 1995. Status of Biological Criteria Development and Implementation. Chapter 7, in W.D. Davis and T.P. Simon (eds.), *Biological Assessment and Criteria. Tools for Water Resource Planning and Decision Making*. Lewis Publishers, Boca Raton, Florida. pp. 81-96.
- Stribling, J.B. and C. Gerardi. 1993. Habitat assessment variability and spatiotemporal factors affecting biological metrics (draft report). Tetra Tech report to USEPA, Office of Water, Assessment and Watershed Protection Division, Washington, DC.
- Thorpe, J.H., and A.P. Covich. 1991. Ecology and classification of North American freshwater invertebrates. Academic Press, New York, NY. 911 pp.
- U.S. Environmental Protection Agency. 1990a. Biological Criteria: National program guidance for surface waters. EPA-440/5-90-004. Office of Water Regulations and Standards, Washington, DC.
- U.S. Environmental Protection Agency. 1990b (draft report). Freshwater macroinvertebrate species list including tolerance values and functional feeding group designations for use in rapid bioassessment protocols. EA Engineering, Science, and Technology report to USEPA, Assessment and Watershed Protection Division (No. 11075.05, March 1990).
- U.S. Environmental Protection Agency. 1992. Evaluation of wet weather design standards for controlling pollution from combined sewer overflows. Office of Policy, Planning, and Evaluation, USEPA, Washington, DC.
- U.S. Environmental Protection Agency. 1994a. Combined Sewer Overflow Control Policy. EPA 830-B-94-001. USEPA, Office of Water (4201), Washington, DC. April.
- U.S. Environmental Protection Agency. 1994b. TMDL program note #1. Defining a TMDL. EPA 841-K-94-005. USEPA, Office of Water, Washington, DC. March.
- U.S. Environmental Protection Agency. 1994c (draft report). TMDL program note #7: Bioassessment and TMDLs. USEPA, Office of Water, Washington, DC. September.
- Water Policy Report. 1994. EPA developing CSO Guidance to Head Off Implementation Difficulties. Vol. 3, No. 4, February 16, 1994. pp. 11-12.
- Weed Science Society of America. 1974. Herbicide handbook of the W.S.S.A.. Third Edition, Pub. W.S.S.A. of Champaign, IL.
- Whittaker, R.H. 1952. A study of summer foliage insect communities in the Great Smokey Mountains. *Ecological Monographs* 22:6.
- Wiederholm, T. (ed.). 1983. Chironomidae of the Holarctic Region. Keys and Diagnoses. Part 1. Larvae. *Entomological Scandinavica*. Supplement 19:457 pp.
- Yoder, C.O. 1991. The Integrated Biosurvey as a Tool for Evaluation of Aquatic Life Use Attainment and Impairment in Ohio Surface Waters. Biological Criteria: Research and Regulation. Proceedings of a Symposium. EPA-440/5-91-005. Office of Water, U.S. Environmental Protection Agency, Washington, DC.
- Yoder, C.O., and E.T. Rankin. 1995. Biological Response Signatures and the Area of Degradation Value: New Tools for Interpreting Multimetric Data. Chapter 17, in W.D. Davis and T.P. Simon (eds.), *Biological Assessment and Criteria. Tools for Water Resource Planning and Decision Making*. Lewis Publishers, Boca Raton, Florida. pp. 263-268.